



**POWER X CARPET SPOT REMOVER**  
**ITEM NO. CS2624CC-CASE12**

Quick Identifier

STABILITY:       UNSTABLE  
                       STABLE

CONDITIONS TO AVOID: Avoid contact with chrome and aluminum surfaces. Do not store above 120° F. for prolonged periods. Keep from freezing.

INCOMPATIBILITY (MATERIALS TO AVOID): Avoid contact with metals such as zinc, magnesium, aluminum, and galvanized metals. Avoid contact with oxidizing materials

HAZARDOUS DECOMPOSITION PRODUCTS: Does not normally decompose. Thermal decomposition will result in generation of carbon monoxide and carbon dioxide.

HAZARDOUS                       MAY OCCUR                      CONDITIONS TO AVOID: None known  
POLYMERIZATION                 WILL NOT OCCUR

---

**SECTION VI - HEALTH HAZARD DATA**

---

PRIMARY ROUTE(S) OF ENTRY: EYE: X, INHALATION: X, SKIN: X, INGESTION: X

SIGNS OR SYMPTOMS OF EXPOSURE:

1. ACUTE OVEREXPOSURE:

Eyes: Causes irritation, experienced as pain, with excessive blinking and tear production, and seen as marked excess redness a swelling of the eye with injury to the cornea.

Inhalation: A single prolonged (hours) excessive inhalation may cause adverse effects. Excessive exposure may cause irritation of the upper respiratory track.

Ingestion: May cause abdominal discomfort, nausea, and diarrhea.

Skin: Prolonged and repeated exposure may cause skin irritation. A single prolonged exposure may result in the material being absorbed in harmful amounts.

2. CHRONIC OVEREXPOSURE:

Skin: Prolonged contact, as with clothing wetted with material, may cause irritation and discomfort, seen as local redness and swelling.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:

LIST AS CARCINOGEN    NATIONAL       Yes I.A.R.C.                       Yes OSHA       Yes  
OR POTENTIAL            TOXICOLOGY     No    MONOGRAPHS     No                       NO  
CARCINOGEN?

EMERGENCY AND FIRST AID PROCEDURES:

1. EYES: Irrigate with flowing water immediately and continuously for fifteen (15) minutes. Get immediate medical attention.
2. SKIN: In case of contact, immediately flush skin with plenty of water for at least fifteen (15) minutes, followed by a vinegar wash. Remove contaminated clothing and shoes. Call a physician if irritation persists. Wash clothing before reuse. Destroy contaminated shoes.
3. INGESTION: If swallowed, give large quantities of water. Follow with a quantity of citrus juice. DO NOT INDUCE VOMITING. Never give anything by mouth to an unconscious person. Seek medical attention.
4. INHALATION: Remove to fresh air if effects occur. Consult a physician if breathing is labored.

NOTE TO PHYSICIAN: No specific antidote. Supportive care. Treatment based on judgment of the physician in response to reactions of patient.

---

**SECTION VII- SPECIAL PROTECTION INFORMATION**

---

VENTILLATION:

LOCAL EXHAUST: Not required under normal use.

MECHANICAL (General): Recommended.

SPECIAL: None

OTHER: None

PROTECTIVE GLOVES: Recommended

EYE PROTECTION: Recommended.

---

**SECTION VIII - SPECIAL PRECAUTION AND SPILL/LEAK PROCEDURES**

---

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORAGE: Store in a cool dry place. Avoid storage under conditions of extreme temperature.

OTHER PRECAUTIONS: Keep out of the reach of children.

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Contain spill with adsorbent material. Neutralize with applicable acid material. Use water spray to dilute and/or wash away any residual. Do not introduce into waterways..

WASTE DISPOSAL METHODS: Small (household) quantities may be disposed of via sewer. Disposal is to be performed in accordance with federal, state and local laws.

---

**SECTION IX - DATE AND SIGNATURE**

---

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials in any other process. The stated MSDS is reliable to the best of the company's knowledge and believed accurate as the date indicated. However, no representation, warranty or guarantee of any kind, expressed or implied, is made as to its accuracy, reliability or completeness and we assume no responsibility for any loss, damage or expense, direct or consequential, arising out of use. It is the user's responsibility to satisfy himself as the suitability and completeness of such information for his own particular use.

Manufactured by:

Custom Solutions, Inc.

4120 NE Port Drive .

Lee's Summit, MO 64064.

Date Issued: 25 April 2006

Supersedes: None- New Product

The submission of this MSDS may be required by law, but this is no assertion that the substance is hazardous when used in accordance with proper safety practices and normal procedures. Data supplied is for use only in connection with occupation safety and health.